



NoFlash

Electro Contact Cleaner



FEATURES

- Non-Flammable
- NSF Certified: K2 Registration #131303
- VOC Compliant in California
- Safe to use on most surfaces, but may be harmful to some plastics
- Quick Penetration
- Removes dirt, moisture, dust, flux, and oxides from internal components of electronic equipment

APPLICATIONS

- Contacts
- Controls
- Instruments
- Meters
- Printed Circuit Boards
- Signals
- Switches
- Sensors
- Telecommunication Equipment

SPECIFICATIONS AND APPROVALS

- NSF International
- Caterpillar
- Chrysler Corporation
- Honda Corp. Learjet LES1239J
- Koch Refining Group
- Inland Steel
- PPG Glass Mfg.
- Dresser Rand
- Boise Cascade
- McDonnell Douglas CSD #1**
- Delta Airlines
- Ford Motor Co.
- General Motors Co.
- Tampa Electric Co.
- Kimberly-Clark
- Timken Steel
- New York City Transit
- Cummins Engine
- Boeing D6-17487 Rev. P*

*Does not conform to Acrylic Cracking Test

** Does not conform to Stress Cracking Test on Acrylic Plastics

IS (IDENTIFICATION SYSTEM)



AVAILABLE PRODUCTS

Part No.		Net Contents	Container	Case Pack	Case Wt.
US	Canada				
04016	C04016	12 wt. oz./340 g/268 mL	Aerosol	12	15 lbs.

PROPERTIES

Appearance/physical state	Liquid/Gas
Odor	Strong
Melting point/freezing point	N/A
Boiling point/range	158°F (70°C)
Vapor pressure	>100 mm Hg @20°C
Partition coefficient	>1
Percent volatile	100%
Flammability limit	lower: 4%; upper: 8%
Propellant	HFC-134a
VOC Content	70.1%
Color	Colorless
Flash point	<73.4°F (< 23.0°C) (TCC)
Relative density	N/A
Evaporation rate	6 BuAc
Vapor density	-4.3 (air = 1)
Auto-ignition temperature	>914°F (> 490°C)
Viscosity	N/A
Specific Gravity (water=1)	1.29 - 1.32 @20°C

DIRECTIONS

Hold can 6-8 inches away and spray directly on surface to clean. Test for compatibility on certain plastic surfaces.

HANDLING

Do not handle until all safety precautions have been read and understood. Do not breathe gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight.

DISPOSAL INFORMATION

Dispose of contents/container in accordance with local/regional/national/international regulations.



CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!

800.241.8334 | www.lpslabs.com

©2018 ITW Pro Brands • LPS® and NoFlash® are registered trademarks of Illinois Tool Works All Rights Reserved • TDS04016 • 180425

ELECTRONIC CLEANERS